Author Index to Volume 27

Abdel-Khalik, S. I. See Paul, D. D., 59
Amis, E. J. See Janmey, P. A., 135
Anderle, K. See Meister, J. J., 37
Aramburo, F. See Ramos-DeValle, L. F., 295

Bagley, E. B. See Navickis, L. L., 519
—; Christianson, D. D.; Beckwith, A. C.: A Test of the Arrhenius Viscosity–Volume Fraction Relationship for Concentrated Dispersions of Deformable Particles (Note), 503
Bagley, R. L.
—; Torvik, P. J.: A Theoretical Basis for the Application of Fractional Calculus to Viscoelasticity, 201
Beckwith, A. C. See Bagley, E. B., 503
Bistany, K. L.
—; Kokini, J. L.: Dynamic Viscoelastic Properties of Foods in Texture Control, 605
Boger, D. V. See Dzuy, N. Q., 321

Chang, H.-F. D.
—; Darby, R.: Effect of Shear Degradation on the Rheological Properties of Dilute Drag-Reducing Polymer Solutions, 77
Chao, K. K. K.
—; Williams, M. C.: The Ductless Siphon: A Useful Test for Evaluating Dilute Polymer Solution Elongational Behavior. Consistency with Molecular Theory and Parameters, 451
Christianson, D. D. See Bagley, E. B., 503
Code, R. K. See De Kee, D., 581

Darby, R. See Chang, H.-F. D., 77
De Kee, D.
—; Code, R. K.; Turcotte, G.: Flow Properties of Time-Dependent Foodstuffs, 581
Dunwoody, J.
Stability of the Rest State of Viscoelastic Fluids to Retarded Flow Perturbations, 373
Dzuy, N. Q.
—; Boger, D. V.: Yield Stress Measurement for Concentrated Suspensions, 321

Ferry, J. D. See Janmey, P. A., 135

Greener, J.
—; Pearson, G. H.: Orientation Residual Stresses and Birefringence in Injection Molding, 115
Grizzuti, N. See Marrucci, G., 433
Gupta, R. K.
Comments on "Prediction of Peel Adhesion Using Extensional Rheometry" by Connelly, Parsons, and Pearson, 171

Hamann, D. D. See Montejano, J. G., 557
Han, C. D. See Lem, K.-W., 263
Hanks, R. W.
Couette Viscometry of Casson Fluids, 1
Harrell, E. R. See Nakajima, N., 241
Hunter, R. J. See McDonogh, R. W., 189

Isayev, A. I. See Upadhyay, R. K., 155

Janmey, P. A.
—; Amis, E. J.; Ferry, J. D.: Rheology of Fibrin Clots. VI. Stress Relaxation, Creep, and Differential Dynamic Modulus of Fine Clots in Large Shearing Deformations, 135

Keentok, M. See Tanner, R. I., 47
Kokini, J. L. See Bistany, K. L., 605
Kotaka, T. See Watanabe, H., 223

Larson, R. G.
Analysis of Isothermal Fiber Spinning with the Doi–Edwards Constitutive Equation, 475
Lem, K.-W.
—; Han, C. D.: Rheological Behavior of Concentrated Suspensions of Particulates in Unsaturated Polyester Resin, 263
Liu, T. Y.
—; Soong, D. S.; Williams, M. C.: Binary Blends of Monodisperse Polymers: Use of a Kinetic Network Model for Nonlinear Shear Stress Predictions in Entangled Polymer Fluids, 7

© 1983 by The Society of Rheology, Inc. Published by John Wiley & Sons, Inc.

Lodge, A. S.
Newtonian Liquid Hole Pressures at Small Reynolds Numbers (Note), 497
Loh, J. See Szczesniak, A. S., 537

Macosko, C. W. See Papanastasiou, A. C., 387
Mannell, W. R. See Szczesniak, A. S., 537
Marrucci, G.
—; Grizzuti, N.: The Free Energy Function of the Doi–Edwards Theory: Analysis of the Instabilities in Stress Relaxation, 433
McDonogh, R. W.
—; Hunter, R. J.: The Primary Electroviscous Effect, 189
Meister, J. J.
—; Anderle, K.; Merriman, G.: Rheology of Aqueous Solutions of Okra Mucilage F, 37
Merriman, G. See Meister, J. J., 37
Montejano, J. G.
—; Hamann, D. D.: Final Strengths and Rheological Changes During Processing of Thermally Induced Fish Muscle Gels, 557

Nakajima, N.
—; Harrell, E. R.: Relaxation Behavior of Elastomers under Large Deformation, 241
Navickis, L. L.
—; Bagley, E. B.: Yield Stresses in Concentrated Dispersions of Closely Packed, Deformable Gel Particles, 519

Papanastasiou, A. C.
—; Scriven, L. E.; Macosko, C. W.: An Integral Constitutive Equation for Mixed Flows: Viscoelastic Characterization, 387
Paul, D. D.
—; Abdel-Khalik, S. I.: Nucleate Boiling in Drag-Reducing Polymer Solutions, 59
Pearson, G. H. See Greener, J., 115
Peleg, K.
A Rheological Model of Nonlinear Viscoplastic Solids, 411
Peretz, D.
—; Weitsman, Y.: The Nonlinear Thermoviscoelastic Characterizations of FM-73 Adhesives, 97
Powell, R. L.
Classification of Extensional Flows (Note), 177
Prentice, J. H.
Precision and Accuracy in Viscometric Measurements on Foods, 621

Rafie, S. S. See Sharma, M. G., 637
Rajagopal, K. R.
—; Wineman, A.: Flow of a BKZ Fluid in an Orthogonal Rheometer (Note), 509
Ramos-DeValle, L. F.
Effect of Flow-Induced Crystallization on the End Correction Factor. II. Molten Plastics, 311
—; Aramburo, F.: Effect of Flow-Induced Crystallization on the End Correction Factor. I. Raw Gum Elastomers, 295
Rogers, L.
Operators and Fractional Derivatives for Viscoelastic Constitutive Equations, 351

Scriven, L. E. See Papanastasiou, A. C., 387
Sharma, M. G.
—; Rafie, S. S.: Rheological Constitutive Relations for the Apple Cortex, 637
Shen, S. F. See Upadhyay, R. K., 155
Soong, D. S. See Liu, T. Y., 7
Szczesniak, A. S.
—; Loh, J.; Mannell, W. R.: Effect of Moisture Transfer on Dynamic Viscoelastic Parameters of Wheat Flour/Water Systems, 537

Tanner, R. I.
—; Keentok, M.: Shear Fracture in Cone–Plate Rheometry, 47
Torvik, P. J. See Bagley, R. L., 201
Turcotte, G. See De Kee, D., 581

Upadhyay, R. K.
—; Isayev, A. I.; Shen, S. F.: Modeling of Stresses in Multistep-Shear Deformation of Polymeric Fluids, 155

Vakili, J.
An Experimental Study of Asphalt Concrete Based on a Multiple-Integral Representation of Constitutive Equation of a Nonlinear Viscoelastic Solid, 211

Watanabe, H.
—; Kotaka, T.: Rheology of Ternary Mixtures of Styrene–Butadiene Diblock Copolymer, Homopolybutadiene, and *n*-Tetradecane, 223
Weitsman, Y. See Peretz, D., 97
Williams, M. C. See Chao, K. K. K., 451; Liu, T. Y., 7
Wineman, A. See Rajagopal, K. R., 509

Subject Index to Volume 27

Accuracy, 621
Adhesive characterization, 97
Apple cortex, 637
Arrhenius viscosity–volume fraction relationship, 503(N)
Asphalt concrete, 211

Birefringence, 115
BKZ fluid, 509(N)
Blending laws, 7
Block copolymer solution rheology, 223
Bode diagrams, 351
Butadiene–acrylonitrile copolymer, 241

Capillary rheometry, 295, 311
Casson fluids, 1
Changes in fish pastes during thermal processing, 557
Comparison, 605
Comparison of different methods for yield stress assessment, 321
Concentrated suspensions, 263
Cone–plate rheometry, 47
Constitutive equations, 211, 351, 387
Constitutive theory, 475
Couette viscometry, 1
Creep, 411, 637

Data reduction methods, 1
Deformable gel particles, 519
Deformable particles, concentrated dispersions of, 503(N)
Deformation, 241
Dehydration effect, 537
Dependence of shear relaxation modulus on deformation, 433
Dispersions, 519
Doi–Edwards equation, 475
Doi–Edwards theory, 433
Drag reduction, 59, 77
Ductless siphon, 451
Dynamic, 605
Dynamic modulus, differential, superposed on large shear deformations, 135
—, monitored during stress relaxation or creep, 135
Dynamic testing, 537

Eccentric rotating disks, 509(N)
Elastomers, relaxation behavior, 241
Electroviscous effect, primary, 189
Elongational flow, 177(N), 475
End correction, 295, 311
Ethylene–propylene copolymer, 241
Extensional flow, 177(N), 387
Extensional rheometry, 171

Fibrin clots, large shear deformations, 135
—, viscoelastic properties, 135
Fish pastes and gels, 557
Flow classification, 177(N)
Flow-induced crystallization, 295, 311
Food, 605, 621
Foodstuffs, 581
Force deformation, 411
Fractional calculus, 201
Free energy of deformation, 433
Frequency effect, 537

Heat-induced fish gels, 557
Heat transfer, 59
Herschel–Bulkley model, 581
Hydrostatic stress, 637

Injection molding, 115
Instabilities in stress relaxation, 433

Kernel functions, 637

Latex, surface swelling, 189
Leonov constitutive equation, 155

Macrolattice structure, 223
Material properties, 411
Mathematical modeling, 411
Mathematical theory, 1
Maxwell model, 351
Mechanical response, 211
Melt spinning, 475
Modeling, 155
Molecular theory, 7, 201
Molten plastics, 311
Motion with constant stretch history, 509(N)

© 1983 by The Society of Rheology, Inc. Published by John Wiley & Sons, Inc.

Mucilage, 37
Multistep shear, 155

Network model, 7
Newtonian liquid hole pressures, 497(N)
Nonisothermal viscoelasticity, 97
Nonlinearity, 637
Nonlinear solids, 411
Nonlinear viscoelastic acid, 211
Nonlinear viscoelasticity, 115
Non-Newtonian flow, 1, 37
Normal stress, 263
Nucleate boiling, 59
Numerical simulation, 509(N)

Okra, 37
Orthogonal rheometer, 509(N)
Oscillatory deformations superposed on large static deformations, 135

Parallel plate rheometry, 47
Particulates in unsaturated polyester resin, 263
Peel adhesion, 171
Plastic flow, 223
Polydimethylsiloxane, 47
Polyethylene powders, suspensions, 263
Polymeric fluids, 155
Polymer melts and concentrated solutions, 433
Polymer rheology, 7
Polymers, 201
Polymer solutions, 59, 77
Polystyrene, 47
Pool boiling, 59
Precision, 621
Pseudoplastic, 37

Raw gum elastomers, 295
Relaxation, 411
Relaxation modulus, 155
Residual stress, 115
Retarded flow perturbations, 373
Reynolds number, 497(N)
Rheology, 411, 637
Rheology of concentrated bauxite residue, 321
Rheology of suspensions, 189
Rigidity of fish pastes, 557
Rotational flow, 1

Second normal stress difference, 47
Shear, 387
Shear degradation, 77
Shear fracture in viscoelastic liquids, 47
Shear stress–shear strain, 519
Small-angle x-ray scattering, 223
Spinnability, 475
Stability, 373
Strain hardening, fibrin clots, 135
Strain rate, 177(N)
Strength of fish gels, 557
Stress relaxation, 115, 201
Styrene–butadiene diblock copolymer, 223

Texture, 605
Time–temperature superimposition, 97
Torsion, 637
Transient shear flow, 7

Vane method for direct yield stress measurement, 321
Viscoelastic fluids, rest state, 373
Viscoelasticity, 201, 351, 387, 605, 637
Viscoelasticity of adhesives, 97
Viscoelasticity of block copolymer–homopolymer blend, 223
Viscoelastic parameters, 537
Viscoelastic properties, 411
Viscometry, 621
Viscosifier, 37
Viscosity decay, 581

Water-soluble, 37
Wheat flour doughs rheology, 537

Yield stresses, 519
Yield stress measurement, 321
Yield stress of concentrated suspensions, 321

Zeta potential, 189